

Pickleball

Indoor and Outdoor solutions

Gerflor[®]

Pickleball

A sport that's accessible, dynamic, and rapidly expanding worldwide.

A sport for everyone

Pickleball is easy to learn, fun to play, and truly intergenerational. Its welcoming format and social nature bring together beginners, seasoned athletes, families, and seniors alike — making it one of the most inclusive sports on the market.



Belgium

“Pickleball is more than a sport, it's a cultural shift. It's fun, social, and accessible for all ages.”

A global boom

Born in the USA, pickleball's rise is unprecedented. In just a few years, it has become one of the fastest-growing sports worldwide, powered by massive participation, expanding infrastructure, and strong international momentum.

Over **50** million players worldwide⁽¹⁾



United States

Boost facility value with pickleball

Pickleball's rapid growth offers a great opportunity to diversify facility use and strengthen racquet-sport programs. Its accessibility, social and health appeal help clubs attract new members, boost court occupancy, and increase overall value.

You deserve proven expertise


For decades, the world's top athletes and federations have trusted Gerflor for the floors beneath their biggest moments. This legacy of excellence, performance and reliability is now driving our commitment to pickleball.

With indoor and outdoor solutions for both permanent and portable courts, Gerflor delivers the grip, comfort, and shock absorption players need to feel confident and perform their best, from grassroots play to major events.




United States

A single tennis court can be converted into several pickleball courts



They trust us



(1) Source: MMR Pickleball Market: Global Pickleball Market Analysis, Industry Growth, Paddle Sales, Revenue & Insights, 2026.

Our indoor offer: Taraflex® Pickleball

We elevate indoor pickleball environments with Taraflex® Pickleball: engineered for superior safety and performance.



Safety & Comfort for all players

- Our foam formulation and advanced shock-absorption technology minimize joint impact, providing comfort and reducing injury risk for players of all ages and skill levels while still delivering peak performance.



Excellent playability for pickleball

- Consistent ball bounce and reliable traction support both recreational and competitive play, meeting international standards for indoor sports flooring.
- Ideal for clubs, schools, and public spaces where flexibility is key.
- Limitless customization for unique layouts and branding.



Durability & Easy Maintenance

Taraflex technologies ensure long-lasting high performance, with a warranty of 15 years.

Our patented **ProtecSol® surface treatment:**

- Protects athletes with a friction-burn free technology.
- Maximizes slide and grip, enabling smoother lateral movements and faster accelerations.
- Ensures cost effective and easy maintenance.

D-Max™ surface unique reinforcement with a fibreglass grid offers outstanding durability and dimensional stability.

Worldwide Expertise and Federations Endorsement

- Taraflex® has been chosen since 1947 by leading sports federations and clubs all over the world, for its proven quality and performance.
- Positive feedback from players and coaches highlights the comfort, safety, and playability of Taraflex® courts, whether for leisure or competition.

we care / we act



Climate

- Best in class carbon footprint. The best choice for decarbonising your projects.
- Made in Europe.



Resources

- Taraflex® Evolution contains 81% bio-based, mineral and recycled content.




Circularity

- 100% recyclable.
- TVOC after 28 days < 100µg/m³.
- 100% REACH, formaldehyde-free.



The right product for every need

Taraflex® Evolution For permanent use




7.5 mm P1


- Bio content
- Also available in adhesive-free installation SL
- DTx Also available with Dry-Tex™ System for rising damp

Benefits

- P1 sports floor category: high performance and safety for the players
- CXP-HD double-density foam: optimal performance and safety
- Best in class carbon footprint: a good choice for decarbonising your projects
- Phthalate-free formulation
- A wide range of colors to match your facility's identity



Taraflex® 3.7mm For portable use



3.7 mm Portable

- Customised colors upon request, with minimum order quantity

Benefits

- Specific embossing: perfect texture for high competitions, providing perfect footing
- Loose lay installation: portable solution, fast and easy to install or remove, which makes it ideal for events




6109 Framboise



«The French Pickleball Federation (FPF) confirms that your roll-out pickleball court is suitable for pickleball practice, both for leisure and competitive play. (...) The ball bounce on your surface is equivalent to that of the linoleum floors found in most school gymnasiums. (...) Players also greatly appreciated the cushioning provided by the surface at joint level, as it is less stressful on the body.»

Technical & Sports Director
(Pickleball France)



Trusted globally for providing the highest-performing sports flooring designed specifically for pickleball



Description	Standard	Requirement	Units	Taraflex® Evolution	Taraflex® Portable
Dry-Tex™ System	-	-	-		-
Taraflex® SL (Sustainable and Looselay)	-	-	-		-
Product Description					
Surface treatment	-	-	-	Triple-Action ProtecSol®	Triple-Action ProtecSol®
Surface complex	-	-	-	D-Max™	100% Pur PVC
Foam	-	-	-	CXP-HD™	CXP
Thickness	EN ISO 24346	-	mm	7.5	3.7
Weight	EN ISO 23997	-	kg/m²	4.7	1.9
Length	EN ISO 24341	-	lm	26.5 Max	16 STD
Width	EN ISO 24341	-	lm	1.5	1.5
Sport Properties					
Shock absorption	EN 14808	≥ 25	%	P1	-
Vertical deformation	EN 14809	≤ 3.5	mm	≤ 2	≤ 2
Sliding coefficient	EN 13036-4	80 to 110	-	80 to 110	80 to 110
Ball bounce	EN 12235	≥ 90	%	≥ 90	-
Technical Characteristics					
Abrasion resistance	EN ISO 5470-1	≤ 1000	mg	≤ 350	≤ 350
Impact resistance	EN 1517	≥ 8	N/m	≥ 8	-
Indentation resistance	EN 1516	≤ 0.5	mm	≤ 0.5	≤ 0.5
Classification					
Fire	EN 13501-1	-	-	Cfl-s1	Cfl-s1
Health					
Anti-bacterial activity (E. coli - S. aureus - MRSA) ⁽¹⁾	ISO 22196	-	-	> 99% inhibits growth	> 99% inhibits growth
Anti-viral activity (human coronavirus) after 2h ⁽¹⁾	ISO 21702	-	-	99.4% efficiency after 2h	99.4% efficiency after 2h
CE Marking					
	EN 14 904	-	-	Fire Shock Absorption Sliding Coefficient Abrasion Resistance Rolling load Resistance	Fire Sliding Coefficient Abrasion Resistance

The proposed specifications fall within the tolerance limits usually accepted in this sector whilst still complying with standards.

(1) The implementation of an effective cleaning method is the best defence against infection.


SportGame™ PB Pickleball tiles

In addition to our indoor expertise, we also offer outdoor pickleball solutions designed for large-scale events and high-capacity tournaments that require multiple courts, without compromising performance.

Specially engineered for safety and performance in pickleball.

Our **Pickleball tiles** are the perfect solution to play fun while staying possible to practice at the best level!

Thanks to the grip they offer, playing safe is our priority. Easy to install, economic solution to develop pickleball in your area.



- 1 SportGame™ PB surface provides lower skin abrasion compared to traditional hard court surfaces like acrylic and concrete.
- 2 The UV stabilizers and patented formula keeps your outdoor court playable, even at surface temperatures up to 73°C.
- 3 Patented Lateral Forgiveness™ to reduce your joint strain and fatigue

A high-performance surface



Optimal safety

Surface designed to reduce joint fatigue and the risk of slipping.



UV protection

Better colour retention that does not store heat and ensures user well-being.



Durability

Ensure long-lasting high performance, with a warranty of 15 years.



Optimised ball bounce



Courts can be used immediately

Quick to install, the court is ready for use as soon as the last tile is clipped into place.



Low maintenance and economical

A playing surface that's always available for your favourite sport.




100% recyclable



SportGame™ PB is the Official Modular Tile Surface of USA Pickleball.

Designed for authentic pickleball play, SportGame™ PB is engineered to reduce the risk of injury and support physical play for hours at a time. Choose SportGame™ PB to provide your family and community a safe surface to enjoy the fastest growing sport in the USA!



“Pickleball isn’t just a sport, it’s a lifestyle.”

SportGame™ PB Our Pickleball kits

Let's start Pickleball with our kits!

Chose our tiles **SportGame™ PB** and be guaranteed to transform your sports areas with bright colors while offering authentic play, exceptional comfort and optimal safety.


Its innovative engineering helps reduce impact and injury, allowing players of all ages to enjoy hours of action. Bring the fastest-growing sport to your home or community—now expanding across Europe!

Our kits are available in two premium color combinations.


Kit Pickleball Granite/Bright Blue/Green

Ref: S5470001


Total size: 19,80m x 10,50m




Granite



Bright Blue




Green




Kit Pickleball Gray/Purple/Titanium

Ref: S5470002


Total size: 19,80m x 10,50m




Gray



Purple



Titanium



United States

Finishing profiles

A range of accessories to suit your practice.



Edge male
25 × 5 × 1.27 cm




Edge female
25 × 5 × 1.27 cm



Corner edge
5 × 5 × 1.27 cm

SportGame™ PB



United States




Estonia



Description	Standard	Requirement	Units	SportGame™ PB
Product Description				
Product	-	-	-	Interlocking exterior tile
Dimensions	-	-	mm	250 × 250
Thickness	-	-	mm	12.7
Weight	-	-	gr	225
Type of installation	-	-	-	Looselay
Packaging	-	-	Box	48 tiles per box = 3m ²
Number of pallets	-	-	-	2
Number of boxes per pallet	-	-	Box	38
Compatible products	-	-	-	Polypropylene finishing profiles
Technical features				
Slip resistance	EN13036-4	80 to 110	-	80 to 110
Shock absorption	EN14808	≥11	%	≥ 11
Rebound height	EN12235	≥85	%	≥ 85
Water infiltration	EN12616	≥150	mm/hr	≥ 150
Tensile strength	-	-	N	525



United States



We care / we act our commitments for 2030

 <p>climate</p> <p>-30% CO₂ scopes 1, 2, 3 in tons eq. CO₂, vs 2019 Science Based Targets⁽¹⁾</p>	 <p>resources</p> <p>75% biobased, mineral and recycled content⁽²⁾</p> <p>30% recycled content⁽³⁾</p>	 <p>circularity</p> <p>65 000 tons annual volume recycled⁽⁴⁾</p> <p>45% loose-lay⁽⁵⁾</p>	 <p>health & well-being</p> <p>100% products better than Indoor Air Quality standards⁽⁶⁾</p> <p>95% sales covered by EPD⁽⁷⁾</p>	 <p>people</p> <p>30% women⁽⁸⁾</p> <p>40% internal mobility⁽⁹⁾</p> <p>Towards 0 accident⁽¹⁰⁾</p>
--	---	--	---	--

More details: 1. Scopes 1, 2 & 3, in absolute value, market-based. Trajectory approved by SBTi (Science Based Targets Initiative). 2. Origin of raw materials for the entire Floor & Wall portfolio, on average, by weight; including 15% virgin salt, a primary element in vinyl manufacturing. Compared to 71% in 2024. 3. Average content in the Floor & Wall vinyl portfolio, by weight. Compared to 21% in 2024. 4. Recycled in our factories and recycling units. Compared to 59 040 tons in 2024. 5. % of Floor activity with non-glued products, easy to remove, easy to re-use. Compared to 40% in 2024. 6. 100% of vinyl and linoleum sold to the building market below 100 micrograms /m² (TVOC 28 days). 7. % of Floor & Wall activity covered by Environmental Product Declarations (EPD). Compared to 44% in 2024. 8. % women in our global workforce and among our managers. Compared to respectively 26% and 27% in 2024. 9. % job openings filled with internal hires worldwide. Compared to 25% in 2024. 10. Towards 0 accident: Lost time accident per million hours worked: below 3 vs 8,9 in 2024, for Gerflor employees worldwide.

